

BUY ONLINE



## AMSOIL Fuel Additives

**AMSOIL Quickshot®** is formulated to thoroughly clean varnish, gums and insoluble debris in two- and four-stroke gasoline-powered engines and powersports fuel systems, restoring peak performance. It addresses performance issues related to ethanol, water and dirty pump gas while stabilizing fuel between uses and during short-term storage.



Contact your full-service AMSOIL Dealer for more information on AMSOIL products or to place an order. You may also order direct by calling AMSOIL INC. at 1-800-956-5695 and providing the referral number listed here. ▼

Referral # \_\_\_\_\_

SAVE UP TO 25% G

## Marine



Tracker Marine/Bass Pro Shops Photography



SYNTHETIC  
2-STROKE OIL

SYNTHETIC  
4-STROKE OIL

ACCESSORY  
PRODUCTS



Order by Phone 1-800-956-5695 - Give Operator Reference #5442612



## AMSOIL Synthetic 2-Stroke Oils

### HP Marine™ Synthetic 2-Stroke Oil

is excellent for all two-stroke outboard motors and personal watercraft. It is recommended for the Evinrude® E-TEC® factory-lean setting. HP Marine is engineered with custom-designed synthetic base stocks to reduce friction and wear and is fortified with MAXDOSE™, a system of advanced additives for “super-clean” operation. After a full season of use in rental watercraft, HP Marine prevented piston scuffing and ring sticking for maximum engine life and power (see inside). It provides low smoke, low odor and low aquatic toxicity.



**Outboard 100:1 Pre-Mix Synthetic 2-Stroke Oil** is specifically designed to perform at 100:1 in all pre-mix water-cooled applications. It is formulated to fight carbon/deposit formation and prevent ring sticking in hot-operating two-stroke outboard motors, while burning clean for reduced emissions.

**AMSOIL Synthetic 2-Stroke Injector Oil** offers quality and affordability for all two-stroke recreation equipment and helps protect against rust and wear. It burns clean to prevent harmful engine deposits and reduce smoke-out.

## AMSOIL Synthetic 4-Stroke Oils

**Synthetic Marine Motor Oil** is designed to withstand the intense stress of continuous high-speed operation as well as all-day trolling conditions. It offers outstanding wear protection and viscosity stability, low volatility and excellent low-temperature fluidity. Recommended for use in most gasoline-powered four-stroke outboard, inboard and inboard/outboard (I/O) motors. Marine Engine Oil is NMMA licensed and FC-W Catalyst Compatible. AMSOIL 25W-40 Synthetic Blend Marine Engine Oil is recommended by AMSOIL for use in Mercury® and Mercruiser® engines.



AMSOIL synthetic 2- and 4-stroke oils are Warranty Secure™, keeping your factory warranty intact. For details, visit [www.amsoil.com/warrantysecure](http://www.amsoil.com/warrantysecure).

\*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

**AMSOIL Synthetic Marine Gear Lube** is fortified with

**AMSOIL Synthetic Water-Resistant Grease** resists water washout and degradation better than conventional greases. It is excellent for boat trailer wheel bearings, outboard motors and other applications exposed to water.



**AMSOIL Ea® Oil Filters** are designed for superior oil filtration. Made with full-synthetic media, they stop smaller particles, have less restriction and last longer than cellulose filters. Their marine-powder-coated finish and zinc-dichromate-treated base plates withstand harsh marine environments.



**AMSOIL Gasoline Stabilizer**  
inhibits the oxidation process in gasoline to prevent harmful gum and varnish buildup, keeping fuel fresh up to 12 months.

resists corrosion formation during storage or long periods of inactivity. It also protects against dry starts when equipment is removed from storage.

A man with long blonde hair, wearing a grey and red jacket, tan pants, and sunglasses, is standing in a boat on a lake. He is holding a long fishing rod that extends across the frame. The boat has a black outboard motor with 'Evinrude 300' written on it. The background shows a calm lake and a dense forest on the opposite shore under an overcast sky.


**Pete Maina**  
One of *Outdoor Life's*  
20 Best Anglers

\*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

**Order by Phone 1-800-956-5695 -**



OFFICIAL  
OIL  
OFFICIAL



**John Gillespie**  
Host, "Waters & Woods"

**Give Operator Reference #5442612**

HP Marine Synthetic 2-Stroke Oil was used in a 40-hp Evinrude® E-TEC® outboard motor owned by River Point Resort & Outfitting Co., a northern Minnesota fishing outfitter. After a full season of rental use with the motor set at its factory-lean setting, HP Marine prevented piston ring sticking and piston scuffing for maximum power and long engine life. Results prove HP Marine's ability to protect two-stroke engines in the toughest conditions, helping you get the most out of your equipment.

- No piston ring sticking for maximum power
- No scuffing for long engine life



*"It's been excellent at lubrication of our motors. We haven't seen any spark-plug failure, it's been clean and the customers have noticed they run a lot better."*

**James Koschak**  
MANAGER, RIVER POINT RESORT & OUTFITTING CO.

**Watch the video.**

Visit [www.youtube.com/amsoilinc](http://www.youtube.com/amsoilinc) and search "River Point Resort & Outfitting Co."

\*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

Order by Phone 1-800-956-5695 - Give Operator Reference #5442612